

AvediaServer®

Centralised management, storage and control of your IP video and digital signage solution

AvediaServer is Exterity's powerful central server for managing your entire IP video and digital signage system. In one location you can control all devices and applications with the comprehensive Smart Control application; create interactive portals with ArtioGuest IPTV middleware; create, manage and publish digital signage with ArtioSign; create workflows with Workflows, and much more.

Both scheduled recording of live TV for later playback and Video on Demand are handled with ease. In addition, Catchup TV provides users with the convenience of up to seven days playback directly via the Electronic Program Guide (EPG), so important programmes are never missed.

The AvediaServer can also import assets such as training videos and movies, which can be distributed as Video on Demand or as Play channels, depending on viewers' needs.

Centrally control all Exterity products, simplifying IPTV system maintenance

AvediaServer

ArtioGuest

Fully customisable, cutting-edge hospitality IPTV middleware that delivers a seamless and interactive TV and video experience for hotel guests on any device



- TV channels from multiple regions
- Hundreds of movies and TV shows on demand
- Guests' own content, cast directly to the TV
- Integration with Property Management Systems
- Send messages directly to guests' in-room TV
- Provide information on guest services



Set up backup channels to ensure viewers enjoy a reliable and uninterrupted viewing experience in case of stream failure



Chromecast Control

Access reports on how the Chromecast feature is being used and see which channels or VoD assets are the most popular



Users

Create and manage AvediaServer users and configure access permissions, including security Single Sign-On for AvediaServer and Active Directory users



Site Manager

Easily manage all of your devices. Using this application, you can easily:

- · List, order and filter the Exterity IPTV devices in your network
- Apply firmware updates, name and location changes to Exterity devices and import/export device configuration
- Download Exterity IPTV device estate details (CSV)



Create, manage and display eyecatching, dynamic digital signage with ArtioSign. A natural enhancement to an IP video system, Exterity's integrated solution makes it easy for any organisation to create and deliver impactful signage screens

ArtioMultiviev

Macro Builder

Recorder

Users

E

Schedules

>>>>

ArtinGuest

₹

Logger

rojector Contro

Transfer



ArtioSign


EPG Server

Messaging

Smart Control

- Keep viewers informed, engaged and entertained
- Increase revenue with targeted promotions
- Create uniquely branded, tailored signage with drag-and-drop simplicity
- Build signage layouts with live TV, video, text, graphics, PDFs, PPTs & RSS feeds
- Publish content to individual or groups of devices

Asset Editor



Asset Manager

Easily manage all content on the AvediaServer



)

Asset Manager

High Availability

PMS Link

TFTP Server

High Availability

Provide an uninterrupted experience by setting up a secondary server which will automatically take over if the primary server becomes unavailable



Smart Control

Manage your devices and apps in one place. Smart Control provides central control of devices in your IPTV system, including power on/off, reboot, set channel, and volume control

Smart Control also lets you manage what is displayed on individual or groups of ArtioSign or ArtioGuest devices with drag-and-drop ease



1810

Site Manage


Workflow

Workflows

Create workflows with ease, dragging actions such as power on, set volume and channel, as well as ArtioSign campaigns and playlists or ArtioGuest portals, to create sequences that can be published at

the push of a button, or triggered when specific events occur. Priorities can be assigned to these triggers


Exterity end-to-end IP video solution
















AvediaStream Media Players

AvediaServer Software Modules

The following software configurations are available for AvediaServer, depending on an organisation's requirements.

AvediaServer Module	IP video system management	Channel Redundancy	Smart Control	Video on Demand and Playback	ArtioSign	ArtioSign video import conversion	ArtioPortal	ArtioGuest
AvediaServer m8105	~		~		~			
AvediaServer m8115	~	~	~		~	~		
AvediaServer m7205	~	~	~		~	~	~	
AvediaServer m7305	~	~	~	~	~	~	~	
AvediaServer m8365	~	~	~	~	~	~		~

AvediaServer Platforms

AvediaServer Hardware Platform c1520

The c1520 hardware platform contains a fixed media disk configuration in a compact 1U rack mounted package, ideal for medium enterprise IPTV environments with hundreds of end-points.

AvediaServer Hardware Platform c1565

The c1565 provides an enterprise class hardware platform for larger installations, with RAID-based media disk storage and dual redundant power supplies, ideal for large IPTV environments with thousands of end-points.

AvediaServer Hardware Platform c1585

The c1585 provides an enterprise class hardware platform for very large installations, with increased RAID media disk storage and dual redundant power supplies, ideal for very large IPTV environments with up to ten thousand end-points.

AvediaServer Virtual Platform v1600

A flexible version of AvediaServer, the v1600 is designed for integration into virtual machine environments.

									,									
	Core Software Modules					Bandwidth Options							Hard Disk RAID Options					
						Bandwidth Options						RAID 10						
	m8105	m8115	m7205	m7305	m8365	110 Mbs	220 Mbps	550 Mbps	1000 Mbps	2000 Mbps	3000 Mbps		4TB	8TB	16TB	24TB	32TB	48TB
c1520	~	~	~	~	~	~	~											
c1565	~	~	~	~	~	~	~	~	~	~			~	~	~	~		
c1585	~	~	~	~	~	~	~	~	~	~	~	~		~	~		~	~
v1600	~	~	~	~	~	~	~	~	~	~	~	~						

AvediaCare

Ensure your Exterity solution is protected, maintained and enhanced over its lifetime with our comprehensive AvediaCare support warranty. AvediaCare provides access to software and firmware updates as well as bug fixes and additional user interface options. Please contact your Exterity reseller for more information.



+44 (0) 1383 828 250

Singapore

+65 3157 9352

Australia +61 (0) 2905 61199

+27 (0) 11 469 0465

+33 (0) 3 52 84 01 23 United Arab Emirates

+971 (4) 447 0604

Europe

Saudi Arabia +966 (11) 834 3530





05 | 2021

South Africa